



## Stacking bins

Stacking bins provide easy access to the items stored in them as the products can be seen through the open front. Parts and products stored in stacking bins can be easily moved from one place to another by hand thanks to the front design. The bins can be placed on a cart, workbench or a shelf, and most models have a back design which allows them to be mounted on a bin rail or a bin rack. Dividers, that can be ordered separately, and the ability to firmly stack the bins of the same size, help ensure that space is used efficiently.

- Open front design: products are easy to see and pick, and the bins are easy to move by hand.
- Two material choices: environmentally friendly Treston ReBOX made 100% of recycled plastic and classic plastic bins.
- The sturdy classic plastic bins come in 8 different sizes, have many bright color options and a clear see-through model. This product line also has a wavy bottom to help picking of items. Accessories can be separately ordered including labels with covers and side-to-side dividers for the larger models.
- The environmentally friendly and economic Treston ReBOX bins come in 7 different sizes. ReBOX bins have a grey color but the tint may slightly vary due to ink residues. The large white labels always come as standard. Some models are longitudinally dividable.

Stacking bins (49)

| Code      | Product                                            | EAN-code      | Width inches | Depth inches | Height inches | Internal width inches | Internal depth inches | Internal height inches | ESD | Suitable for clean-room | Temperature tolerance F | Chemical resistance                                     | Capacity l | Bin type             | Includes Accessories | Available Accessories            | RAL code | Color name    | Frame material                 | Available for the following products                           | Warranty years | Availability USA |
|-----------|----------------------------------------------------|---------------|--------------|--------------|---------------|-----------------------|-----------------------|------------------------|-----|-------------------------|-------------------------|---------------------------------------------------------|------------|----------------------|----------------------|----------------------------------|----------|---------------|--------------------------------|----------------------------------------------------------------|----------------|------------------|
| 1015-1    | Stacking bin 4.13"x6.5"x2.95" crystal clear 60 pcs | 6416763028740 | 4.13         | 6.5          | 2.95          | 3.54                  | 4.13                  | 2.56                   | No  | No                      | -40°F - +131°F          |                                                         | 1          | Classic Plastic bins |                      | Label and protective shield E-10 |          | Crystal clear | Crystal clear polystyrene (PS) | Stacking bin carts                                             | 5              |                  |
| 1015-3    | Stacking bin 4.13"x6.5"x2.95" grey 60 pcs          | 6416763086504 | 4.13         | 6.5          | 2.95          | 3.54                  | 4.13                  | 2.56                   | No  | No                      | -4°F – +167°F           | Withstands the effects of oils, most acids and solvents | 1          | Classic Plastic bins |                      | Label and protective shield E-10 | RAL7016  | Grey          | Colored polypropylene (PP)     | Stacking bin carts, Treston Tower storage and workstation unit | 5              |                  |
| 1015-4ESD | Stacking bin 4.13"x6.5"x2.95" black ESD 60 pcs     | 6416763035809 | 4.13         | 6.5          | 2.95          | 3.54                  | 4.13                  | 2.56                   | Yes | Yes                     | -4°F - +158°F           | Withstands the effects of oils, most acids and solvents | 1          | Classic Plastic bins |                      | Label and protective shield E-10 |          | Black         | ESD polypropylene              | Stacking bin carts                                             | 5              |                  |
| 1015-5    | Stacking bin 4.13"x6.5"x2.95" red 60 pcs           | 6416763028757 | 4.13         | 6.5          | 2.95          | 3.54                  | 4.13                  | 2.56                   | No  | No                      | -4°F – +167°F           | Withstands the effects of oils, most acids and solvents | 1          | Classic Plastic bins |                      | Label and protective shield E-10 | RAL3020  | Red           | Colored polypropylene (PP)     | Stacking bin carts                                             | 5              |                  |

| Code      | Product                                               | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suit<br>able<br>for<br>clean<br>room | Tem<br>pera<br>ture<br>toler<br>anceF | Chem<br>ical<br>re<br>sistance                                         | Ca<br>pac<br>ity l | Bin<br>type                | In<br>cludes<br>Access<br>ories | Avail<br>able<br>Access<br>ories           | RAL<br>code | Color<br>name    | Frame<br>material                    | Available<br>for the<br>following<br>products                                       | War<br>ranty<br>years | Avail<br>ability<br>USA |
|-----------|-------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|--------------------------------------|---------------------------------------|------------------------------------------------------------------------|--------------------|----------------------------|---------------------------------|--------------------------------------------|-------------|------------------|--------------------------------------|-------------------------------------------------------------------------------------|-----------------------|-------------------------|
| 1015-6    | Stacking bin<br>4.13"x6.5"x2.95"<br>blue 60 pcs       | 6416763028764 | 4.13            | 6.5             | 2.95             | 3.54                        | 4.13                        | 2.56                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 1                  | Classic<br>Plastic<br>bins | None                            | Label and<br>protective<br>shield E-<br>10 | RAL5015     | Blue             | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin carts                                                               | 5                     |                         |
| 1520-1    | Stacking bin<br>7.32"x11.81"x6.14"<br>blue 24 pcs     | 6416763025053 | 5.87            | 7.56            | 4.13             | 4.92                        | 5.12                        | 3.54                         | No  | No                                   | -40°F -<br>+131°F                     |                                                                        | 2                  | Classic<br>Plastic<br>bins |                                 | Label and<br>protective<br>shield E-<br>15 |             | Crystal<br>clear | Crystal clear<br>polystyrene<br>(PS) | Stacking<br>bin carts                                                               | 5                     |                         |
| 1520-3    | Stacking bin<br>5.87"x7.56"x4.13"<br>grey 45 pcs      | 6416763086511 | 5.87            | 7.56            | 4.13             | 4.92                        | 5.12                        | 3.54                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 2                  | Classic<br>Plastic<br>bins |                                 | Label and<br>protective<br>shield E-<br>15 | RAL7016     | Grey             | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin carts,<br>Treston<br>Tower<br>storage<br>and<br>workstation<br>unit | 5                     |                         |
| 1520-4ESD | Stacking bin<br>5.87"x7.56"x4.13"<br>black ESD 45 pcs | 6416763035816 | 5.87            | 7.56            | 4.13             | 4.92                        | 5.12                        | 3.54                         | Yes | Yes                                  | -4°F -<br>+158°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 2                  | Classic<br>Plastic<br>bins |                                 | Label and<br>protective<br>shield E-<br>15 |             | Black            | ESD<br>polypropylene                 | Stacking<br>bin carts                                                               | 5                     |                         |
| 1520-5    | Stacking bin<br>5.87"x7.56"x4.13"<br>red 45 pcs       | 6416763025060 | 5.87            | 7.56            | 4.13             | 4.92                        | 5.12                        | 3.54                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 2                  | Classic<br>Plastic<br>bins |                                 | Label and<br>protective<br>shield E-<br>15 | RAL3020     | Red              | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin carts                                                               | 5                     |                         |

| Code      | Product                                                   | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suit<br>able<br>for<br>clean<br>room | Tem<br>pera<br>ture<br>toler<br>anceF | Chemi<br>cal re<br>sistance                                            | Ca<br>pac<br>ity l | Bin<br>type                | In<br>cludes<br>Acces<br>sories | Avail<br>able Ac<br>ces<br>sories                                        | RAL<br>code | Color<br>name    | Frame ma<br>terial                   | Available<br>for the<br>following<br>products                                                                 | War<br>ranty<br>years | Avail<br>abili<br>ty<br>USA |
|-----------|-----------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|--------------------------------------|---------------------------------------|------------------------------------------------------------------------|--------------------|----------------------------|---------------------------------|--------------------------------------------------------------------------|-------------|------------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------|
| 1520-6    | Stacking bin<br>5.87"x7.56"x4.13"<br>blue 45 pcs          | 6416763025077 | 5.87            | 7.56            | 4.13             | 4.92                        | 5.12                        | 3.54                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 2                  | Classic<br>Plastic<br>bins |                                 | Label and<br>protective<br>shield E-<br>15                               | RAL5015     | Blue             | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin carts                                                                                         | 5                     |                             |
| 1525-1    | Stacking bin<br>5.87"x9.84"x5.12"<br>crystal clear 30 pcs | 6416763016600 | 5.87            | 9.84            | 5.12             | 4.92                        | 7.28                        | 4.53                         | No  | No                                   | -40°F -<br>+131°F                     |                                                                        | 3                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>14, label<br>and<br>protective<br>shield E-<br>15 |             | Crystal<br>clear | Crystal clear<br>polystyrene<br>(PS) | Stacking<br>bin carts,<br>Stacking<br>bin racks                                                               | 5                     |                             |
| 1525-3    | Stacking bin<br>5.87"x9.84"x5.12"<br>grey 30 pcs          | 6416763086528 | 5.87            | 9.84            | 5.12             | 4.92                        | 7.28                        | 4.53                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 3                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>14, label<br>and<br>protective<br>shield E-<br>15 | RAL7016     | Grey             | Colored<br>polypropylene<br>(PP)     | Treston<br>Tower<br>storage<br>and<br>workstation<br>unit,<br>Stacking<br>bin carts,<br>Stacking<br>bin racks | 5                     |                             |
| 1525-4ESD | Stacking bin<br>5.87"x9.84"x5.12"<br>black ESD 30 pcs     | 6416763035823 | 5.87            | 9.84            | 5.12             | 4.92                        | 7.28                        | 4.53                         | Yes | Yes                                  | -4°F -<br>+158°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 3                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>14, label<br>and<br>protective<br>shield E-<br>15 |             | Black            | ESD<br>polypropylene                 | Stacking<br>bin carts                                                                                         | 5                     |                             |

| Code   | Product                                                    | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suit<br>able<br>for<br>clean<br>room | Tem<br>pera<br>ture<br>toler<br>anceF | Chemi<br>cal re<br>sistance                                            | Ca<br>pac<br>ity l | Bin<br>type                | In<br>cludes<br>Acces<br>sories | Avail<br>able Ac<br>ces<br>sories                                        | RAL<br>code | Color<br>name    | Frame ma<br>terial                   | Available<br>for the<br>following<br>products                                                                 | War<br>ranty<br>years | Avail<br>abili<br>ty<br>USA |
|--------|------------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|--------------------------------------|---------------------------------------|------------------------------------------------------------------------|--------------------|----------------------------|---------------------------------|--------------------------------------------------------------------------|-------------|------------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------|
| 1525-5 | Stacking bin<br>5.87"x9.84"x5.12"<br>red 30 pcs            | 6416763016617 | 5.87            | 9.84            | 5.12             | 4.92                        | 7.28                        | 4.53                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 3                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>14, label<br>and<br>protective<br>shield E-<br>15 | RAL3020     | Red              | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin carts,<br>Stacking<br>bin racks                                                               | 5                     |                             |
| 1525-6 | Stacking bin<br>5.87"x9.84"x5.12"<br>blue 30 pcs           | 6416763016624 | 5.87            | 9.84            | 5.12             | 4.92                        | 7.28                        | 4.53                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 3                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>14, label<br>and<br>protective<br>shield E-<br>15 | RAL5015     | Blue             | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin carts,<br>Stacking<br>bin racks                                                               | 5                     |                             |
| 1930-1 | Stacking bin<br>7.32"x11.81"x6.14"<br>crystal clear 24 pcs | 6416763010189 | 7.32            | 11.81           | 6.14             | 6.1                         | 9.06                        | 5.51                         | No  | No                                   | -40°F -<br>+131°F                     |                                                                        | 5                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 |             | Crystal<br>clear | Crystal clear<br>polystyrene<br>(PS) | Stacking<br>bin racks,<br>Stacking<br>bin carts                                                               | 5                     |                             |
| 1930-3 | Stacking bin<br>7.32"x11.81"x6.14"<br>grey 24 pcs          | 6416763086535 | 7.32            | 11.81           | 6.14             | 6.1                         | 9.06                        | 5.51                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 5                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 | RAL7016     | Grey             | Colored<br>polypropylene<br>(PP)     | Treston<br>Tower<br>storage<br>and<br>workstation<br>unit,<br>Stacking<br>bin racks,<br>Stacking<br>bin carts | 5                     |                             |

| Code      | Product                                                    | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suit<br>able<br>for<br>clean<br>room | Tem<br>pera<br>ture<br>toler<br>anceF | Chemi<br>cal re<br>sistance                                            | Ca<br>pac<br>ity l | Bin<br>type                | In<br>cludes<br>Acces<br>sories | Avail<br>able Ac<br>ces<br>sories                                        | RAL<br>code | Color<br>name    | Frame ma<br>terial                   | Available<br>for the<br>following<br>products   | War<br>ranty<br>years | Avail<br>abili<br>ty<br>USA |
|-----------|------------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|--------------------------------------|---------------------------------------|------------------------------------------------------------------------|--------------------|----------------------------|---------------------------------|--------------------------------------------------------------------------|-------------|------------------|--------------------------------------|-------------------------------------------------|-----------------------|-----------------------------|
| 1930-4ESD | Stacking bin<br>7.32"x11.81"x6.14"<br>black ESD 24 pcs     | 6416763035830 | 7.32            | 11.81           | 6.14             | 6.1                         | 9.06                        | 5.51                         | Yes | Yes                                  | -4°F -<br>+158°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 5                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 |             | Black            | ESD<br>polypropylene                 | Stacking<br>bin carts                           | 5                     |                             |
| 1930-5    | Stacking bin<br>7.32"x11.81"x6.14"<br>red 24 pcs           | 6416763010196 | 7.32            | 11.81           | 6.14             | 6.1                         | 9.06                        | 5.51                         | No  | No                                   | -4°F -<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 5                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 | RAL3020     | Red              | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin carts,<br>Stacking<br>bin racks | 5                     |                             |
| 1930-6    | Stacking bin<br>7.32"x11.81"x6.14"<br>blue 24 pcs          | 6416763010202 | 7.32            | 11.81           | 6.14             | 6.1                         | 9.06                        | 5.51                         | No  | No                                   | -4°F -<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 5                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 | RAL5015     | Blue             | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin carts,<br>Stacking<br>bin racks | 5                     |                             |
| 1940-1    | Stacking bin<br>7.32"x15.75"x6.14"<br>crystal clear 24 pcs | 6416763010233 | 7.32            | 15.75           | 6.14             | 6.1                         | 12.99                       | 5.51                         | No  | No                                   | -40°F -<br>+131°F                     |                                                                        | 7                  | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 |             | Crystal<br>clear | Crystal clear<br>polystyrene<br>(PS) | FiFo Flow<br>Rack,<br>Stacking<br>bin racks     | 5                     |                             |

| Code      | Product                                                | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suitable<br>for<br>clean<br>room | Temperature<br>toleranceF | Chemical<br>resistance                                                 | Capacity l | Bin<br>type                | Includes<br>Accessories | Available<br>Accessories                                                 | RAL<br>code | Color<br>name | Frame material                   | Available<br>for the<br>following<br>products                                                             | Warranty<br>years | Availability<br>USA |
|-----------|--------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|----------------------------------|---------------------------|------------------------------------------------------------------------|------------|----------------------------|-------------------------|--------------------------------------------------------------------------|-------------|---------------|----------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------|---------------------|
| 1940-3    | Stacking bin<br>7.32"x15.75"x6.14"<br>grey 24 pcs      | 6416763086542 | 7.32            | 15.75           | 6.14             | 6.1                         | 12.99                       | 5.51                         | No  | No                               | -4°F –<br>+167°F          | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 7          | Classic<br>Plastic<br>bins |                         | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 | RAL7016     | Grey          | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks,<br>FiFo Flow<br>Rack,<br>Treston<br>Tower<br>storage<br>and<br>workstation<br>unit | 5                 |                     |
| 1940-4ESD | Stacking bin<br>7.32"x15.75"x6.14"<br>black ESD 24 pcs | 6416763035847 | 7.32            | 15.75           | 6.14             | 6.1                         | 12.99                       | 5.51                         | Yes | Yes                              | -4°F -<br>+158°F          | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 7          | Classic<br>Plastic<br>bins |                         | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 |             | Black         | ESD<br>polypropylene             | FiFo Flow<br>Rack                                                                                         | 5                 |                     |
| 1940-5    | Stacking bin<br>7.32"x15.75"x6.14"<br>red 24 pcs       | 6416763010240 | 7.32            | 15.75           | 6.14             | 6.1                         | 12.99                       | 5.51                         | No  | No                               | -4°F –<br>+167°F          | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 7          | Classic<br>Plastic<br>bins |                         | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 | RAL3020     | Red           | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks,<br>FiFo Flow<br>Rack                                                               | 5                 |                     |
| 1940-6    | Stacking bin<br>7.32"x15.75"x6.14"<br>blue 24 pcs      | 6416763010257 | 7.32            | 15.75           | 6.14             | 6.1                         | 12.99                       | 5.51                         | No  | No                               | -4°F –<br>+167°F          | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 7          | Classic<br>Plastic<br>bins |                         | Cross<br>divider V-<br>19, label<br>and<br>protective<br>shield E-<br>20 | RAL5015     | Blue          | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks,<br>FiFo Flow<br>Rack                                                               | 5                 |                     |

| Code      | Product                                                    | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suitable<br>for<br>clean<br>room | Temperature<br>toleranceF | Chemical<br>resistance                                                 | Capacity l | Bin<br>type                | Includes<br>Accessories | Available<br>Accessories                                                  | RAL<br>code | Color<br>name    | Frame material                       | Available<br>for the<br>following<br>products | Warranty<br>years | Availability<br>USA |
|-----------|------------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|----------------------------------|---------------------------|------------------------------------------------------------------------|------------|----------------------------|-------------------------|---------------------------------------------------------------------------|-------------|------------------|--------------------------------------|-----------------------------------------------|-------------------|---------------------|
| 1950-1    | Stacking bin<br>7.32"x19.69"x7.17"<br>crystal clear 12 pcs | 6416763035878 | 7.32            | 19.69           | 7.17             | 5.71                        | 15.75                       | 6.14                         | No  | No                               | -40°F -<br>+131°F         |                                                                        | 10         | Classic<br>Plastic<br>bins |                         | Cross<br>divider V-<br>195, label<br>and<br>protective<br>shield E-<br>20 |             | Crystal<br>clear | Crystal clear<br>polystyrene<br>(PS) | Stacking<br>bin racks                         | 5                 |                     |
| 1950-3    | Stacking bin<br>7.32"x19.69"x7.17"<br>grey 12 pcs          | 6416763086559 | 7.32            | 19.69           | 7.17             | 5.71                        | 15.75                       | 6.14                         | No  | No                               | -4°F -<br>+167°F          | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 10         | Classic<br>Plastic<br>bins |                         | Cross<br>divider V-<br>195, label<br>and<br>protective<br>shield E-<br>20 | RAL7016     | Grey             | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin racks                         | 5                 |                     |
| 1950-4ESD | Stacking bin<br>7.32"x19.69"x7.17"<br>black ESD 12 pcs     | 6416763035915 | 7.32            | 19.69           | 7.17             | 5.71                        | 15.75                       | 6.14                         | Yes | Yes                              | -4°F -<br>+158°F          | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 10         | Classic<br>Plastic<br>bins |                         | Cross<br>divider V-<br>195, label<br>and<br>protective<br>shield E-<br>20 |             | Black            | ESD<br>polypropylene                 |                                               | 5                 |                     |
| 1950-5    | Stacking bin<br>7.32"x19.69"x7.17"<br>red 12 pcs           | 6416763035885 | 7.32            | 19.69           | 7.17             | 5.71                        | 15.75                       | 6.14                         | No  | No                               | -4°F -<br>+167°F          | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 10         | Classic<br>Plastic<br>bins |                         | Cross<br>divider V-<br>195, label<br>and<br>protective<br>shield E-<br>20 | RAL3020     | Red              | Colored<br>polypropylene<br>(PP)     | Stacking<br>bin racks                         | 5                 |                     |



| Code      | Product                                                | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suit<br>able<br>for<br>clean<br>room | Tem<br>pera<br>ture<br>toler<br>anceF | Chemi<br>cal re<br>sistance                                            | Ca<br>pac<br>ity l | Bin<br>type                | In<br>cludes<br>Access<br>ories | Avail<br>able Ac<br>cess<br>ories                                         | RAL<br>code | Color<br>name | Frame ma<br>terial               | Available<br>for the<br>following<br>products                                                             | War<br>ranty<br>years | Avail<br>abili<br>ty<br>USA |
|-----------|--------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|--------------------------------------|---------------------------------------|------------------------------------------------------------------------|--------------------|----------------------------|---------------------------------|---------------------------------------------------------------------------|-------------|---------------|----------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------|
| 1950-6    | Stacking bin<br>7.32"x19.69"x7.17"<br>blue 12 pcs      | 6416763035892 | 7.32            | 19.69           | 7.17             | 5.71                        | 15.75                       | 6.14                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 10                 | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>195, label<br>and<br>protective<br>shield E-<br>20 | RAL5015     | Blue          | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks                                                                                     | 5                     |                             |
| 3040-3    | Stacking bin<br>12.2"x15.75"x6.14"<br>grey 12 pcs      | 6416763086566 | 12.2            | 15.75           | 6.14             | 10.63                       | 12.4                        | 5.51                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 12                 | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>30, label<br>and<br>protective<br>shield E-<br>20  | RAL7016     | Grey          | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks,<br>FiFo Flow<br>Rack,<br>Treston<br>Tower<br>storage<br>and<br>workstation<br>unit | 5                     |                             |
| 3040-4ESD | Stacking bin<br>12.2"x15.75"x6.14"<br>black ESD 12 pcs | 6416763035854 | 12.2            | 15.75           | 6.14             | 10.63                       | 12.4                        | 5.51                         | Yes | Yes                                  | -4°F –<br>+158°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 12                 | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>30, label<br>and<br>protective<br>shield E-<br>20  |             | Black         | ESD<br>polypropylene             | FiFo Flow<br>Rack                                                                                         | 5                     |                             |
| 3040-5    | Stacking bin<br>12.2"x15.75"x6.14"<br>red 12 pcs       | 6416763032143 | 12.2            | 15.75           | 6.14             | 10.63                       | 12.4                        | 5.51                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 12                 | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>30, label<br>and<br>protective<br>shield E-<br>20  | RAL3020     | Red           | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks,<br>FiFo Flow<br>Rack                                                               | 5                     |                             |

| Code      | Product                                               | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suit<br>able<br>for<br>clean<br>room | Tem<br>pera<br>ture<br>toler<br>anceF | Chemi<br>cal re<br>sistance                                            | Ca<br>pac<br>ity l | Bin<br>type                | In<br>cludes<br>Acces<br>sories | Avail<br>able Ac<br>ces<br>sories                                        | RAL<br>code | Color<br>name | Frame ma<br>terial               | Available<br>for the<br>following<br>products | War<br>ranty<br>years | Avail<br>abili<br>ty<br>USA |
|-----------|-------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|--------------------------------------|---------------------------------------|------------------------------------------------------------------------|--------------------|----------------------------|---------------------------------|--------------------------------------------------------------------------|-------------|---------------|----------------------------------|-----------------------------------------------|-----------------------|-----------------------------|
| 3040-6    | Stacking bin<br>12.2"x15.75"x6.14"<br>blue 12 pcs     | 6416763032150 | 12.2            | 15.75           | 6.14             | 10.63                       | 12.4                        | 5.51                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 12                 | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>30, label<br>and<br>protective<br>shield E-<br>20 | RAL5015     | Blue          | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks,<br>FiFo Flow<br>Rack   | 5                     |                             |
| 3050-3    | Stacking bin<br>12.2"x19.69"x7.17"<br>grey 8 pcs      | 6416763086573 | 12.2            | 19.69           | 7.17             | 10.63                       | 15.75                       | 6.5                          | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 18                 | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>30, label<br>and<br>protective<br>shield E-<br>20 | RAL7016     | Grey          | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks                         | 5                     |                             |
| 3050-4ESD | Stacking bin<br>12.2"x19.69"x7.17"<br>black ESD 8 pcs | 6416763035861 | 12.2            | 19.69           | 7.17             | 10.63                       | 15.75                       | 6.5                          | Yes | Yes                                  | -4°F –<br>+158°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 18                 | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>30, label<br>and<br>protective<br>shield E-<br>20 |             | Black         | ESD<br>polypropylene             |                                               | 5                     |                             |
| 3050-5    | Stacking bin<br>12.2"x19.69"x7.17"<br>red 8 pcs       | 6416763032174 | 12.2            | 19.69           | 7.17             | 10.63                       | 15.75                       | 6.5                          | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 18                 | Classic<br>Plastic<br>bins |                                 | Cross<br>divider V-<br>30, label<br>and<br>protective<br>shield E-<br>20 | RAL3020     | Red           | Colored<br>polypropylene<br>(PP) | Stacking<br>bin racks                         | 5                     |                             |

| Code     | Product                                                            | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suit<br>able<br>for<br>clean<br>room | Tem<br>pera<br>ture<br>toler<br>anceF | Chemi<br>cal re<br>sistance                                            | Ca<br>pac<br>ity l | Bin<br>type                          | In<br>cludes<br>Acces<br>sories    | Avail<br>able Ac<br>ces<br>sories                                                                          | RAL<br>code | Color<br>name | Frame ma<br>terial                | Available<br>for the<br>following<br>products | War<br>ranty<br>years | Avail<br>abili<br>ty<br>USA |
|----------|--------------------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|--------------------------------------|---------------------------------------|------------------------------------------------------------------------|--------------------|--------------------------------------|------------------------------------|------------------------------------------------------------------------------------------------------------|-------------|---------------|-----------------------------------|-----------------------------------------------|-----------------------|-----------------------------|
| 3050-6   | Stacking bin<br>12.2"x19.69"x7.17"<br>blue 8 pcs                   | 6416763032181 | 12.2            | 19.69           | 7.17             | 10.63                       | 15.75                       | 6.5                          | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 18                 | Classic<br>Plastic<br>bins           |                                    | Cross<br>divider V-<br>30, label<br>and<br>protective<br>shield E-<br>20                                   | RAL5015     | Blue          | Colored<br>polypropylene<br>(PP)  | Stacking<br>bin racks                         | 5                     |                             |
| 6323-30R | "Treston ReBOX<br>stacking bin<br>9.06"x11.81"x4.72"<br>longitudin | 6416763087051 | 9.06            | 11.81           | 4.72             | 8.07                        | 8.86                        | 4.33                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 5                  | Recycled<br>Treston<br>ReBOX<br>bins | Self-<br>adhesive<br>label<br>3189 | Lenght<br>divider<br>630-30R,<br>self-<br>adhesive<br>protective<br>shield<br>and label<br>S23 for<br>bin. |             | Grey          | Recycled<br>polypropylene<br>(PP) |                                               | 5                     |                             |
| 6423-30R | "Treston ReBOX<br>stacking bin<br>9.06"x15.75"x5.91"<br>longitudin | 6416763087105 | 9.06            | 15.75           | 5.91             | 8.07                        | 12.8                        | 5.51                         | No  | No                                   | -4°F –<br>+167°F                      | Withstands<br>the effects<br>of oils,<br>most acids<br>and<br>solvents | 9                  | Recycled<br>Treston<br>ReBOX<br>bins | Self-<br>adhesive<br>label<br>3189 | Lenght<br>divider<br>640-30R,<br>self-<br>adhesive<br>protective<br>shield<br>and label<br>S23 for<br>bin. |             | Grey          | Recycled<br>polypropylene<br>(PP) | FiFo Flow<br>Rack                             | 5                     |                             |

| Code     | Product                                                   | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suit<br>able<br>for<br>clean<br>room | Tem<br>pera<br>ture<br>toler<br>anceF | Chem<br>ical re<br>sistance                             | Ca<br>pac<br>ity l | Bin<br>type                 | In<br>cludes<br>Acces<br>sories | Avail<br>able Ac<br>ces<br>sories                                              | RAL<br>code | Color<br>name | Frame ma<br>terial          | Available<br>for the<br>following<br>products | War<br>ranty<br>years | Avail<br>abili<br>ty<br>USA |
|----------|-----------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|--------------------------------------|---------------------------------------|---------------------------------------------------------|--------------------|-----------------------------|---------------------------------|--------------------------------------------------------------------------------|-------------|---------------|-----------------------------|-----------------------------------------------|-----------------------|-----------------------------|
| 6523-30R | "Treston ReBOX stacking bin 9.06"x19.69"x5.91" longitudin | 6416763081714 | 9.06            | 19.69           | 5.91             | 8.07                        | 16.73                       | 5.51                         | No  | No                                   | -4°F – +167°F                         | Withstands the effects of oils, most acids and solvents | 12                 | Recycled Treston ReBOX bins | Self-adhesive label 3189        | Lenght divider 650-30R, self-adhesive protective shield and label S23 for bin. |             | Grey          | Recycled polypropylene (PP) |                                               | 5                     |                             |
| 6544-30R | "Treston ReBOX stacking bin 12.2"x19.69"x7.09" grey 8 pcs | 6416763081752 | 12.2            | 19.69           | 7.09             | 10.63                       | 16.14                       | 6.69                         | No  | No                                   | -4°F – +167°F                         | Withstands the effects of oils, most acids and solvents | 19                 | Recycled Treston ReBOX bins | Label 1789                      |                                                                                |             | Grey          | Recycled polypropylene (PP) |                                               | 5                     |                             |
| 6545-30R | "Treston ReBOX stacking bin 8.07"x13.39"x6.02" grey 12 pc | 6416763081745 | 8.07            | 13.39           | 6.02             | 7.09                        | 11.22                       | 5.51                         | No  | No                                   | -4°F – +167°F                         | Withstands the effects of oils, most acids and solvents | 7                  | Recycled Treston ReBOX bins | Label 1789                      |                                                                                |             | Grey          | Recycled polypropylene (PP) |                                               | 5                     |                             |
| 6546-30R | "Treston ReBOX stacking bin 5.75"x9.84"x5.04" grey 20 pcs | 6416763087174 | 5.75            | 9.84            | 5.04             | 4.84                        | 7.09                        | 4.72                         | No  | No                                   | -4°F – +167°F                         | Withstands the effects of oils, most acids and solvents | 3                  | Recycled Treston ReBOX bins | Label 1789                      |                                                                                |             | Grey          | Recycled polypropylene (PP) |                                               | 5                     |                             |

| Code           | Product                                                      | EAN-code      | Width<br>inches | Depth<br>inches | Height<br>inches | Internal<br>width<br>inches | Internal<br>depth<br>inches | Internal<br>height<br>inches | ESD | Suitable<br>for<br>clean<br>room | Temperature<br>toleranceF | Chemical<br>resistance                                  | Capacity l | Bin<br>type                 | Includes<br>Accessories | Available<br>Accessories | RAL<br>code | Color<br>name | Frame material              | Available<br>for the<br>following<br>products | Warranty<br>years | Availability<br>USA |
|----------------|--------------------------------------------------------------|---------------|-----------------|-----------------|------------------|-----------------------------|-----------------------------|------------------------------|-----|----------------------------------|---------------------------|---------------------------------------------------------|------------|-----------------------------|-------------------------|--------------------------|-------------|---------------|-----------------------------|-----------------------------------------------|-------------------|---------------------|
| 6547-30R       | Treston ReBOX Stacking bin 4.06"x6.3"x2.87" grey 20 pcs      | 6416763087181 | 4.06            | 6.3             | 2.87             | 3.43                        | 4.72                        | 2.56                         | No  | No                               | -4°F – +167°F             | Withstands the effects of oils, most acids and solvents | 1          | Recycled Treston ReBOX bins | Label 1790              |                          |             | Grey          | Recycled polypropylene (PP) |                                               | 5                 |                     |
| SBS4-1015-4ESD | Stacking bins, 4 Pack ESD black (6.5" x 4.13" x 2.95")       |               |                 |                 |                  |                             |                             |                              | Yes |                                  |                           |                                                         | 0          |                             |                         |                          |             | Black         |                             |                                               |                   |                     |
| SBS4-1015-6    | Stacking bins, 4 pack 1015-6 blue (6.5" x 4.13" x 2.95")     |               |                 |                 |                  |                             |                             |                              | No  |                                  |                           |                                                         | 0          |                             |                         |                          |             | Blue          |                             |                                               |                   |                     |
| SBS4-2         | Stacking bin set, blue(2) 1525-6 (9.84"x5.87"x5.12") (2) 152 |               |                 |                 |                  |                             |                             |                              | No  |                                  |                           |                                                         | 0          |                             |                         |                          |             | Blue          |                             |                                               |                   |                     |
| SBS4-2ESD      | Stacking bins, 4 Pack ESD black (2) 1525-4ESD (9.84"x5.87"x5 |               |                 |                 |                  |                             |                             |                              | Yes |                                  |                           |                                                         | 0          |                             |                         |                          |             | Black         |                             |                                               |                   |                     |